


CONCRETE SEALER SHALL BE APPLIED TO BOTH SIDES OF
BRIDGE SLAB ON THE TOP, EDGE OF SLAB AND UNDER SLAB
FOR FULL LENGTH OF BRIDGE TO LIMITS SHOWN IN DETAIL.
SEALER SHALL BE APPLIED IN ACCORDANCE WITH STANDARD
SPECIFICATION 2403.21D.

HALF SECTION NEAR PIER

NOTE: TOP LONGITUDINAL REINFORCING STEEL IS TO BE PARALLEL TO AND $2\frac{1}{2}$ " CLEAR BELOW TOP OF SLAB. BOTTOM LONGITUDINAL REINFORCING STEEL IS TO BE PARALLEL TO AND $1\frac{1}{2}$ " CLEAR ABOVE BOTTOM OF SLAB. REINFORCING STEEL IS TO BE SECURELY WIRED IN PLACE AND ADEQUATELY SUPPORTED ON EPOXY COATED BAR CHAIRS BEFORE CONCRETE IS POURED.

SLAB CROSS-SECTIONAL AREA
FOR BARRIER RAIL = 62.24 SQ. FT.



THIS DIAGRAM SHOWS THE FORM CAMBER REQUIRED TO COMPENSATE FOR THE ANTICIPATED ULTIMATE DEAD LOAD DEFLECTION. THE ABOVE DIMENSIONS DO NOT INCLUDE ANY ALLOWANCE FOR FORM DEFLECTION OR FALSEWORK SETTLEMENT.

PLACEMENT FOR LONGITUDINAL REINFORCEMENT

LATEST REVISION DATE _____ <i>Approved & Sealed</i> _____ APPROVED BY BRIDGE ENGINEER	 Iowa Department of Transportation Highway Division	
	STANDARD DESIGN - 30' ROADWAY, 3 SPAN BRIDGES CONTINUOUS CONCRETE SLAB BRIDGES NOVEMBER, 2006	
	SUPERSTRUCTURE DETAILS 140'-0" BRIDGE EPOXY COATED REINFORCING	J30-16E-06