




Where T is 200 mm or more





'KS-2'
Joint for Double
Reinforced Pavement
(Bridge Approach)



ABUTTING PAVEMENT JOINT - KEYWAY TIE Where T is Less Than 200 mm


See Notes 15 'KT-1' 750 mm Long at 600 mm Centers

Where T is 200 mm or more

See Notes (1)(5) 'KT-2' 750 mm Long at 750 mm Centers

See Notes (1)(5) 'KT-3'
750 mm Long at 375 mm Centers

KEYWAY DIMENSIONS				
Keyway Type	Pavement Thickness	(A)	B	
Standard	200 mm or greater	45	70	
Narrow	Less than 200 mm	25	50	




Where T is Less Than 200 mm


See Note (5) 'L-1' 900 mm' Long at 600 mm Centers

Where T is 200 mm or more


See Note (5) 'L-2' 900 mm Long at 750 mm Centers


See Note 5 'L-3' 900 mm Long at 375 mm Centers





DETAIL "B"






SECTION A-A Detail at Edge of Pavement

- Bar supports may be necessary for fixed form paving to insure the bar remains in a horizontal position in the plastic concrete.
- When tying into old pavement, T represents the depth of sound Portland
 Cornect Concrete.
- Sealant or cleaning not required.
- (4) Sawing or sealing of joint not required
- (5) The following joints are interchangeable, subject to the pouring sequence:

 ('BT-1', 'L-1' and 'KT-1'

 ('KT-1') and 'L-1'

'KT=2' and 'L=2' 'KT=3' and 'L=3'



TYPICAL TIE BAR PLACEMENT Applies to all joints unless otherwise detailed.

All dimensions given in millimeters unless noted

M	lowa Department of Transportation	REVISION 18 10-17-06		
	or transportation	RH-51		
VERSION	STANDARD ROAD PLAN	SHEET 1 of 1		
2	REVISIONS: Added tolerances for sawcut depth.			
💆	Deanne Maifuld APPROVED BY DESIGN METHODS ENGINEER			
2	JOINTS			
METRIC	(LONGITUDINAL CONTRA	CTION)		