



Subject: Revision of Standard Road Plan Manual

Revision Date: 10/15/2024

To: Holders of Standard Road Plans

From: Design Bureau

The following revisions are effective with the 10/15/2024 letting. Projects let prior to this date may reference earlier versions of these Standard Road Plans. Questions concerning information contained on the Standard Road Plans should be directed to the Methods Section, Design Bureau, telephone (515) 239-1830 or email michael.thiel@iowadot.us.

**Standard
Road Plan**

Description of Revision

BA Index

BA-112

New.

BA-202

Added Type 'D'.

BA-209

New.

BA-211

Removed curb detail and circle note 3. Modified minimum length note.

BR Index

BR-101

Added Longitudinal Grooving in Concrete to possible contract item. Added 'BE' joint detail.

BR-102

Added Longitudinal Grooving in Concrete to possible contract item.

BR-103

Added Longitudinal Grooving in Concrete to possible contract item.

BR-104

Added Longitudinal Grooving in Concrete to possible contract item.

BR-105

Added Longitudinal Grooving in Concrete to possible contract item.

BR-106

Added Longitudinal Grooving in Concrete to possible contract item.

BR-107

Added Longitudinal Grooving in Concrete to possible contract item.

BR-110

New. Replaces BR-111.

BR-111

Voided. Replaced by BR-110.

BR-112

Added Longitudinal Grooving in Concrete to possible contract item.

BR-121

Added Longitudinal Grooving in Concrete to possible contract item. Added note referring to 'BE' joint.

BR-201

Added Longitudinal Grooving in Concrete to possible contract item. Added 'BE' joint detail.

BR-202

Added Longitudinal Grooving in Concrete to possible contract item. Added 'BE' joint detail.

BR-203

Added Longitudinal Grooving in Concrete to possible contract item. Added 'BE' joint detail.

BR-204

Added Longitudinal Grooving in Concrete to possible contract item. Added 'BE' joint detail.

BR-205

Added Longitudinal Grooving in Concrete to possible contract item. Removed notes pertaining to shoulders. Added 'BE' joint detail.

BR-212

Removed note pertaining to shoulder.

BR-241

Added Longitudinal Grooving in Concrete to possible contract item.

EC Index**EC-602**

Update logo.

PM Index**PM-110**

Added note about primary and secondary roads.

PM-115

Replaced short dashed grooves with continuous grooves.

PM-120

Modified CHW8 to CHW10.

PM-210

Modified line widths from 4 inches and 8 inches to 6 inches and 10 inches.

PM-211

Modified line widths from 4 inches and 8 inches to 6 inches and 10 inches.

PM-220

Modified Line widths from 4 inches to 6 inches.

PM-221

Modified line widths from 4 inches to 6 inches.

PM-222

Modified line widths from 4 inches and 8 inches to 6 inches and 10 inches.

PM-230

Modified line widths from 4 inches to 6 inches.

PM-240

Modified line widths from 4 inches to 6 inches.

PM-242

Modified line widths from 4 inches to 6 inches.

PM-310

Modified label on page 3. Modified line widths from 4 inches and 8 inches to 6 inches and 10 inches.

PM-320

Modified label on page 3.

PM-420

Modified line widths from 4 inches to 6 inches.

PM-520

Modified line widths from 4 inches to 6 inches.

PM-521

Modified line widths from 4 inches to 6 inches.

PM-522

Modified line widths from 4 inches to 6 inches.

PM-550

Modified line widths from 4 inches to 6 inches.

PM-560

Modified line widths from 4 inches to 6 inches.

PM-561

Modified widths from 4 inches to 6 inches.

PM-562

Modified line widths from 4 inches to 6 inches.

PM-620

Modified line widths from 4 inches to 6 inches.

PM-650

Modified line widths from 4 inches to 6 inches.

PM-760

Modified line widths from 4 inches to 6 inches.

PR Index**PR-109**

New.

PV Index**PV-03**

Added detail for PCC between 5 inches and 8 inches.

TC Index**TC-61**

Removed line width dimension on page 4, Modified Channelizing Line to Lane Line.

TC-62

Removed line width dimension on page 1, Modified Channelizing Line to Lane Line.