

SHOULDERS

- (1) Lane(s) to which the shoulder is adjacent.
- (2) See Typ. 7156, 7157, or 7158.
- (3) Bid Item.
- (4) Applies only for Paved Shoulders constructed on project with existing granular shoulders.
- (5) Bid Item. Typ. 7156, 7157, or 7158.
- (6) Does not include shrink.
- (7) Paved shoulder thickness specified in Remarks.
- (8) Subbase type specified in Remarks.

Roadway Identification	Direction of Travel (1)	Station From	Station To	Side	P Width (FT)	P SG Width (2) (FT)	G Width (FT)	L Length (FT)	Class 13 Excavation (CY)(3)(4)	HMA (TON)	HMA (TON/STA)	Binder (TONS)	Paved Shoulder (3) (SY)	Shoulder at Grd rail (5)(7)	Reinforced Paved Shoulder(3) (SY)	Special Backfill HMA Alt. (3) (TON)	Special Backfill HMA Alt. (TON/STA)	Special Backfill PCC Alt. (3) (TON)	Special Backfill PCC Alt. (TON/STA)	Polymer Grid (SY)	Subbase (3) (8) (CY)	Granular Shoulder (3) (TON)	Granular Shoulder (TON/STA)	Shoulder Const. Alt (3) (STA)	Shoulder Const. Alt HMA (6) (CY)	Shoulder Const. Alt PCC (6) (CY)	Remarks
------------------------	-------------------------	--------------	------------	------	--------------	---------------------	--------------	---------------	--------------------------------	-----------	---------------	---------------	-------------------------	-----------------------------	-----------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------	----------------------	-----------------------------	-----------------------------	-------------------------------	----------------------------------	----------------------------------	---------