

Price bid for "Bridge End Drain, RF-40" shall be considered full compensation for furnishing, installing, and constructing the Bridge End Drain as shown.

Contract Items:

Paved Shoulder, P.C. Concrete
Bridge End Drain, RF-40



Incidental to Paved Shoulder:

Modified Subbase
Polymer Grid

Incidental to Bridge End Drain:

Macadam Stone Base Material
Erosion Stone
Engineering Fabric
Excavation, hauling, and disposing of material
Tabulation: 104-8A

- ① Paved shoulder panel will be paid for as, "Paved Shoulder, P.C. Concrete".
- ② Modified subbase and polymer grid shall be installed under shoulder panels as shown in Section A-A on Standard Road Plan RK-20, RK-25, or RK-26.
- ③ Rock flume shall be located 5 feet or more from the nearest transverse pavement joint. Joints are determined by the bridge approach section.
- ④ Rock flume shall extend to ditch bottom.



<p>Iowa Department of Transportation</p> <p>STANDARD ROAD PLAN</p> <p>REVISIONS: Changed note on Section A-A.</p> <p><i>Deanna Mayfield</i> APPROVED BY DESIGN METHODS ENGINEER</p> <p>ROCK FLUME FOR BRIDGE END DRAIN</p>	<p>REVISION</p> <p>4 04-17-07</p>
	<p>RF-40</p>
	<p>SHEET 1 of 1</p>