





Refer to berm slope location table in project plans for locations of Points: A1, A2, A3, B1, B2, and B3.

- ① Variable slope.
- ② Face of Bridge Berm slope may vary and is determined by the A and B points.
- ③ Refer to contract documents for limits of the slope protection.




**PLAN VIEW OF BRIDGE BERM  
(NON-BARNROOF FORESLOPE)**

 Iowa Department of Transportation	REVISION	
	New	04-19-11
<b>STANDARD ROAD PLAN</b>		<b>EW-202</b>
		SHEET 1 of 3
<small>REVISIONS: New. Replaces Design Detail 4303.</small>		
 <small>APPROVED BY DESIGN METHODS ENGINEER</small>		
<b>BRIDGE BERM GRADING WITHOUT RECOVERABLE SLOPE (NON-BARNROOF SECTION)</b>		




**PART SECTION C-C**



- ② Face of Bridge Berm slope may vary and is determined by the A and B points.
  - ③ Refer to contract documents for limits of the slope protection.
  - ④ Refer to RK series for longitudinal subgrade slope.
  - ⑤ Temporary grading slope.
- g = Pavement cross slope.



**SECTION B-B**




**SECTION A-A**

 Iowa Department of Transportation	REVISION
	New 04-19-11
<b>STANDARD ROAD PLAN</b>	<b>EW-202</b>
SHEET 2 of 3	
REVISIONS: New. Replaces Design Detail 4303.	
 APPROVED BY DESIGN METHODS ENGINEER	
<b>BRIDGE BERM GRADING (NON-BARNROOF SECTION) WITHOUT RECOVERABLE SLOPE</b>	

This image can be viewed in 3D on the the ERL or at our website <http://www.iowadot.gov/design/stdrdpln.htm>



This image can be viewed in 3D on the the ERL or at our website <http://www.iowadot.gov/design/stdrdpln.htm>

 Iowa Department of Transportation	REVISION	
	New	04-19-11
<b>STANDARD ROAD PLAN</b>	<b>EW-202</b>	
REVISIONS: New. Replaces Design Detail 4303.	SHEET 3 of 3	
<i>Deanna Maifield</i> APPROVED BY DESIGN METHODS ENGINEER		
<b>BRIDGE BERM GRADING (NON-BARNROOF SECTION) WITHOUT RECOVERABLE SLOPE</b>		