







W4-2M:
48.000" across slides 3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;
[MERGE] C; Arrow K-30, 180°;




W8-11A:
48.000" across slides 3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;
[END] C; [UNEVEN] C; [LANES] C;



W21-9:
48.0" across slides 3.0" Radius, 1.3" Border, 0.8" Indent, Black on Orange;
[AERIAL] D; [SEEDING] D;



W20-1A:
48.000" across slides 3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;
[RAMP] D; [WORK] D; [AHEAD] D;



W21-3A:
48.000" across slides 3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;
[TRUCKS] C; [TURNING] C; [AHEAD] C;

Iowa Department of Transportation STANDARD ROAD PLAN REVISIONS: Added AERIAL SEEDING sign to page 1. APPROVED BY DESIGN METHODS ENGINEER	REVISION <table border="1"> <tr> <td>2</td> <td>10-16-12</td> </tr> </table>		2	10-16-12
	2	10-16-12		
	SI-881 SHEET 1 of 3			
SPECIAL SIGNS FOR WORKZONES				




G20-22:
3,000" Radius, 1,250" Border, 0,750" Indent, Black on Orange;
[EXIT] E; [500 FT] E;



G20-23A


G20-23

G20-23A:
1,500" Radius, 0,625" Border, 0,375" Indent, Black on Orange;
[247] D; [A] D;
G20-23:
3,000" Radius, 1,250" Border, 0,750" Indent, Black on Orange;
[EXIT] E; Arrow K-17, 30";



G20-24

G20-24:
1,500" Radius, 0,625" Border, 0,375" Indent, Black on Orange;
[DO NOT FOLLOW] C;
[INTO WORK AREA] C;



G20-21

G20-21: 3,000" Radius, 1,250" Border, 0,750" Indent, Black on Orange;
[TWO WAY TRAFFIC] D; [NEXT] D; Rectangle Orange; [MILES] D;



G20-21A

G20-21A:
No border, White on Orange;
[14] Black C;

 Iowa Department of Transportation	REVISION	
	2	10-16-12
	SI-881 SHEET 2 of 3	
REVISIONS: Added AERIAL SEEDING sign to page 1.		
<i>Deanna Maifeld</i> APPROVED BY DESIGN METHODS ENGINEER		
SPECIAL SIGNS FOR WORKZONES		

G40-1



G40-1:
3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;
[WET] E; [YELLOW] E; [PAINT] E;

G40-2




G40-2:
3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;
[WET] E; [WHITE] E; [PAINT] E;

G40-3



G40-3:
1.875" Radius, 0.750" Border, 0.500" Indent, Black on Orange;
[WET PAINT] E;

G40-4



G40-4:
1.500" Radius, 0.625" Border, 0.375" Indent, Black on Orange;
[END] E; [PAINTING] E;

 Iowa Department of Transportation	REVISION	
	2	10-16-12
	SI-881 SHEET 3 of 3	
REVISIONS: Added AERIAL SEEDING sign to page 1.		
<i>Deanna Maifeld</i> APPROVED BY DESIGN METHODS ENGINEER		
SPECIAL SIGNS FOR WORKZONES		