



- ① Insert 12 inches of fabric a minimum of 6 inches deep (fabric may be folded below the ground line).



TYPICAL SILT FENCE DITCH CHECK




ATTACHMENT TO POST

| | | |
|--|----------|----------|
|  SUDAS | REVISION | |
| | 1 | 10/18/11 |
| 9040.19 | | |
| SHEET 1 of 2 | | |
| SUDAS Standard Specifications | | |
| SILT FENCE | | |

Install parallel to ground contour.


Install "J-hook" at each end of an individual section of silt fence.

Ground Contours




TYPICAL SILT FENCE INSTALLATION ON LONGITUDINAL SLOPES
(Plan View)

- ① Insert 12 inches of fabric a minimum of 6 inches deep (fabric may be folded below the ground line).
- ② Reduce post spacing to 5'-0" at water concentration areas, or as required to adequately support fence.



DETAILS OF SILT FENCE ON LONGITUDINAL SLOPES

See plans for spacing.



TYPICAL SILT FENCE INSTALLATION ON LONGITUDINAL SLOPES
(Profile View)

| | |
|---|----------------|
|  | REVISION |
| | 1 10-18-11 |
| | 9040.19 |
| SHEET 2 of 2 | |
| SUDAS Standard Specifications | |
| SILT FENCE | |