



**\*\*\*GENERAL REWRITE - PLEASE READ CAREFULLY.\*\*\***


**APPROVED SOURCES  
REINFORCING STEEL SUPPORTS**




**Figure 1.** American Plastic Molding Corporation, Scottsburg, IN  
X-Chair  
Sizes 2.5, 4.25, 6.25, 7 in. (65, 110, 160, 175 mm)




**Figure 2.** Aztec Concrete Accessories, Bloomington, CA  
EZ-Chair Sizes 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 in.  
(25, 38, 50, 65, 75, 90, 100, 115, 125, 140, 150 mm)




**Figure 3.** Aztec Concrete Accessories, Bloomington, CA  
EZ-Loc Slab Bolster  
Sizes 1, 1.5, 2, 2.5, and 3 in.  
(25, 38, 50, 65, and 70 mm)




**Figure 4.** Dayton Superior, Miamisburg, OH  
R-2  
Size 2 in. (50 mm)



**Figure 5.** Dayton Superior, Corp., Miamisburg, OH  
PTC Tower Chair  
Sizes 3/4 in. - 10 in.




**Figure 6.** General Technologies, Stafford, TX  
GTI Bar Supports  
Sizes up to and including 5.5 in. (140 mm)




**Figure 7.** General Technologies, Stafford, TX  
GTI Slab Bolsters  
Size 1 in. (25 mm)




**Figure 8.** International Plastics, Lexington, KY  
Pack Chair



**Figure 9.** International Plastics, Lexington, KY  
IPC-Slab  
Size 1 in. (25 mm)




**Figure 10.** Paragon Products, Mount Pleasant, IA  
Rebar Chair  
Sizes up to and including 5.5 in. (140 mm)




**Figure 11.** Paragon Products, Mount Pleasant, IA  
Large Rebar Chairs  
4, 5, 6, & 7 in.  
(100, 125, 150 & 175 mm)




**Figure 12.** Plastic Construction Accessories, Emporia, KS  
PCA High Chair  
Sizes up to and including 5 in. (125 mm)



**Figure 13.** Richmond Screw Anchor, Fort Worth, TX  
Size 4 in. (100 mm)



**Figure 14.** Richmond Screw Anchor, Fort Worth, TX  
Size 1 in. (25 mm)



**Figure 15.** Universal Form Clamp Company, Bellwood, IL  
ZZ Slab Bolster Super Strong  
Size 3/4 in. - 2 1/2 in.