
**EPOXY COATED STEEL REINFORCEMENT
APPROVED SUPPLIERS / DISTRIBUTORS
WAREHOUSE MONITOR INSPECTION FORM**

Supplier / Distributor Name _____

Location _____

Contact Person _____

Steel Sources _____
(must be on the approved list [IM 451](#) and Appendices)

Current / up-to-date written Q.C. Procedures in place _____

Date of last in-house review / update _____

Material stored above ground on proper cribbing or timber _____

Storage indoor / outdoor _____

Heat number on tags are clearly legible _____

Coater name / powder source _____

Bundles properly banded with suitable padding to prevent damage to the coating _____

If stacked, is there adequate padding / timber between bundles _____

Bar lengths properly supported to prevent sagging _____

Bar / Bundles properly moved – no dragging or dropping _____

Weather protection – if stored outside (greater than two months) shall be protected from sunlight, salt spray, and weather exposure. The coated bars shall be covered with non-transparent material or other suitable opaque protective materials and provisions shall be made for adequate ventilation to minimize condensation. _____

Date of coated bars placed outdoors should be recorded on an identification tag _____

Discolored (weathered) bars should be rejected _____

Records keeping – Certified Mill Test Reports / Coater / Powder sources _____

Special areas designated for state certified steel reinforcement _____

All coated bar reinforcements are from approved source and are of domestic origin _____
