

TREATMENT INSPECTION REPORT GUIDELINES

GENERAL

The following information is the minimum requirements for the inspection report prepared by the approved treatment plant inspection agencies as listed in [Appendix A](#). The treatment plant inspection agency shall furnish an inspection report for each charge of material inspected. The inspection report shall include a certification statement in which the treatment plant inspection agency certifies that the material has been inspected according to the appropriate AWPA Standards. In addition, the certification statement from the treatment inspection agency shall clearly express that the material has been inspected and it complies with the applicable Iowa DOT Specifications.

MINIMUM REQUIRED INFORMATION

General Information:

1. Name of Treatment Plant
 2. Name or Identification Number of QC Personnel Performing the Inspection
 3. Location of Treatment Plant
 4. Applicable Product Specification or Standard (**NOTE:** The material shall be inspected according to Iowa DOT Specifications and it shall be stated in the inspection report.)
 5. Charge Number(s) Inspected: If the material is inspected in lots, the inspection report shall identify the charge numbers inspected in each lot.
 6. Date of Treatment
 7. Type of Material
 8. Number of Pieces By Size
 9. Species
 10. Degree of Seasoning: Provide moisture content readings prior to treatment.
 11. Processing (incised, rough surfaced, etc.)
-

