



PLAN



SECTION A-A
(RUMBLE STRIP CUT IN PAVEMENT)



SECTION A-A
(RUMBLE STRIP PLACED IN PLASTIC P.C. CONCRETE)

Construct rumble strip panel prior to opening to traffic.

See PV-1 for joint details.

- ① Possible Subbase Patch. See RR-26.
- ② If longitudinal subdrain (shoulder) is not to be placed or if it is not present on side of roadway to be patched, then place drain per RR-26.

Possible Contract Items:

- CD Joint Assembly
- CT Joint
- Patches, Full-Depth Finish, by Area
- Patches, Full-Depth Finish, by Count
- Rumble Strip Panel (In Full Depth Patch)
- Rumble Strip Panel (PCC Surface)
- Rumble Strip Panel (HMA Surface)

Possible Tabulations:

- 102-6C
- 112-7

 Iowa Department of Transportation	REVISION	
	New	10-19-10
STANDARD ROAD PLAN	PV-10	
SHEET 1 of 1		

REVISIONS: New. Replaces Standard Road Plan RR-7 and Road Design Detail 7132.

Deanna McFalls
APPROVED BY DESIGN METHODS ENGINEER

**RUMBLE STRIP PANEL
FOR INTERSECTION APPROACH**