







Lane layouts shown are typical.

Centerlines and lane lines may be painted either side of centerline.




Drawings on sheets 1, 2 and 3 are oriented to represent direction of traffic moving from left to right.

6 inch lines intended for primary system roads, and 4 inch lines intended for secondary system roads.




Possible Contract Item:
Pavement Marking Line Items

Possible Tabulation:
108-22




	REVISION	
	5	10-15-24
STANDARD ROAD PLAN		PM-110
		SHEET 1 of 4
REVISIONS: Added note about primary and secondary roads.		
 APPROVED BY DESIGN METHODS ENGINEER		
LINE TYPES		


NPY6 NO PASSING ZONE LINE (Yellow)




DCY6 DOUBLE CENTERLINE (Yellow)




BCY6 BROKEN CENTERLINE (Yellow)




BLW6 BROKEN LANE LINE (White)




SLW6 SOLID LANE LINE (White)




RLY6 RAMP EDGE LINE LEFT (Yellow)




ELW6 EDGE LINE RIGHT (White)




ELY6 EDGE LINE LEFT (Yellow)




RLW6 RAMP EDGE LINE RIGHT (White)




DLY6 DOTTED LINE (Yellow)














DDY6 DOUBLE DOTTED LINE (Yellow)



DLW6 DOTTED LINE (White)




IOWA DOT STANDARD ROAD PLAN	REVISION
	5 10-15-24
	PM-110
SHEET 2 of 4	
REVISIONS: Added note about primary and secondary roads.	
APPROVED BY DESIGN METHODS ENGINEER <i>Shawn Miller</i>	
LINE TYPES	




	REVISION	
	5	10-15-24
STANDARD ROAD PLAN		PM-110
		SHEET 3 of 4
REVISIONS: Added note about primary and secondary roads.		
APPROVED BY DESIGN METHODS ENGINEER		
LINE TYPES		


SPW4 SLOPED CURB 4" (White)



SPW6 SLOPED CURB 6" (White)




STW6 STANDARD CURB 6" (White)




① Apply paint from back of curb to gutter line.


SPY4 SLOPED CURB 4" (Yellow)




SPY6 SLOPED CURB 6" (Yellow)



STY6 STANDARD CURB 6" (Yellow)



MNY6 MEDIAN NOSE (Yellow)



IOWA DOT	REVISION	
	5	10-15-24
STANDARD ROAD PLAN		PM-110
		SHEET 4 of 4
REVISIONS: Added note about primary and secondary roads.		
<i>Shawn Miller</i>		
APPROVED BY DESIGN METHODS ENGINEER		

LINE TYPES